MACHEREY-NAGEI



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

| REF: 90306 | DUOTEST pH 9,5 - 14,0 | Page: 1/6 |
|---------------------------|---------------------------|-----------|
| Printing date: 12.05.2021 | Date of issue: 06.09.2017 | |

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1 | Product identifierREF90306Product nameDUOTEST pH 9,5 - 14,0 |
|------|--|
| | REACH Registration number(s): see SECTION 3.1/3.2 or A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration. |
| | 1 x 5 m reel indicator paper (10 mm) |
| 1.2 | Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Product for analytical use. Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16. Uses advised against not described |
| 1.3 | Details of the supplier of the safety data sheet Manufactured by: MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, GERMANY Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com) |
| 1.4 | Emergency telephone number Information not necessary. |
| | You find our current versions of SDS (22 languages) in Internet: http://www.mn-net.com/SDS |
| SECT | ION 2: Hazard identification |
| 2.1 | Classification of the substance or mixture |
| | 5 m reel indicator paper (10 mm) |
| | Do not need labelling as hazardous Signal word - |
| | No hazard class |
| 2.2 | Label elements |
| | 5 m reel indicator paper (10 mm) Do not need labelling as hazardous Signal word: - |
| 2.3 | Other hazards |
| | Possible hazards from physicochemical properties According to our current status of knowledge and experience we state, that this product does not contain any substances, which - in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential |

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

MACHEREY-NAGE $\langle MN \rangle$ ISO 9001 CERTIFIED

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany US: DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 +49 24 21 969-199 +41 62 388 55 05 Fax: Fax: Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

www.mn-net.com

Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

| REF: 90306 | DUOTEST pH 9,5 - 14,0 | Page: 2/6 |
|---------------------------|---------------------------|-----------|
| Printing date: 12.05.2021 | Date of issue: 06.09.2017 | |
| Other hazards | | |

SECTION 3: Composition/information on ingredients

3.1 Substances or 3.2 Mixtures

| | RTECS: Æ No.: Concentration: | 232-674-9 FJ5691460 KE-05339 90 - <100 % | |
|---------|---|---|------------|
| a | cc. CLP (GHS): | The criteria for classification are not fulfilled. | |
| С | Chemical: indicat | tor dye(s) | CAS No.: - |
| Т | Classification: SCA Inventory: Concentration: | No criteria for classification or naming of chemical not required. all listed, <1% 0.1 - <1 % | |
| a | cc. CLP (GHS): | The criteria for classification are not fulfilled. | |
| Remarks | | | |

SECTION 4: First aid measures

4.1 Description of first aid measures

- Place insured person out of danger zone to fresh air immediately.
- After SKIN Contact 4.1.1 Remove dust with wetted tissue.

4.1.2 After EYE Contact Rub dust with teardrops from eyes

- After INHALATION of vapours 4.1.3 After inhalation of dust fresh air should be inhaled. ---
- After ORAL Intake 4.1.4

3.3

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.2 Special hazards arising from the substance or mixture None

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

www.mn-net.com

+1 484 821 0984

+1 484 821 1272

MACHEREY-NAGEL



Safety Data Sheet

according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

| REF: 9 | 90306 g date: 12.05.2021 | DUOTEST pH 9,5 - 14,0 Date of issue: 06.09.2017 | Page |
|------------------|--|---|--|
| | FION 6: Accidental rele | | |
| | | | |
| 5.1 | Personal precautions, p | rotective equipment and emerger | ncy procedures |
| 5.2 | not necessary | | |
| 5.3 | Methods and material for containment and cleaning up Clean working area with water. Flush used water into drains. | | |
| 6.4 | Reference to other sect | ions | |
| SEC | FION 7: Handling and s | storage | |
| 7.1 | Precautions for safe ha | ndling • test instruction, that comes with the product | |
| 7.2 | | age, including any incompatibiliti MACHEREY-NAGEL allows a safe storage. 11 nwg | |
| 7.2.1 | Requirements for stock r Keep original product pack | ooms and containers ages tightly closed during handling and stora | ge. |
| 7.3 | Specific end use(s) Product for analytical use. | | |
| SEC ⁻ | FION 8: Exposure cont | rols/personal protection | |
| 8.1 | Control parameters | | |
| | 5 m reel indicator paper (Chemical: <i>cellulose</i> TRGS 900 (DE): | 10 mm) Staub 1.25 A / 4 E mg/m³ E/e respirable | CAS No.: 9004-34-6 |
| | SUVA(CH) MAK value: NIOSH: [TWA] Time-weighted av OSHA: | 3 a ppm TWA 10 (total) / 5 (resp) mg/m ³ erage to a reference period of 8 hours, [STEL] Short-ter TWA 15 (total) / 5 (resp) mg/m ³ | m exposure limit related to a 15-minute period |
| | Chemical: indicator dye | (s) | CAS No.: - |
| 3.2 | Exposure controls Not necessary. | | |
| 8.2.1 | Respiratory protection Not necessary. | | |
| 8.2.2 | Hand protection Not necessary. | | |
| | Eye protection Not necessary. | | |
| 3.2.3 | | | |
| 3.2.3 3.2.4 | Skin protection Not necessary. | | |



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany FR: US: DE/international: CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 Tel.: +49 24 21 969-0 Tel.: +33 388 68 22 68 +49 24 21 969-199 Fax: Fax: +33 388 51 76 88 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

www.mn-net.com

MACHEREY-NAGEI



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

| REF: 90306 Printing date: 12.05.2021 | | DUOTEST pH 9,5 - 14,0 Date of issue: 06.09.2017 | Page: 4/6 | |
|---|--|--|---|--|
| SECT | ION 9: Physical and chemi | cal properties | | |
| 9.1 | Information on basic physical and chemical properties | | | |
| | 5 m reel indicator paper (10 mm) Appearance: solid | Colour: colored | Odor: odorless | |
| 9.2 | Other information Relevant Properties of Substance Gro | սք | | |
| SECT | ION 10: Stability and reacti | vity | | |
| 10.1 | Reactivity None | | | |
| 10.2 | Chemical stability No known instability. | | | |
| 10.3 | Possibility of hazardous react None. | ions | | |
| 10.4 | Conditions to avoid Not known | | | |
| 10.5 | Incompatible materials Not known. Avoid contact with concentra | ted acids and oxidizing agents. | | |
| 10.6 | Hazardous decomposition pro In the original package all parts/all reage period under recommended conditions. | | Decompositions are not observed during the expiration | |
| SECT | ION 11: Toxicological infor | mation | | |

11.1 Information on toxicological effects

Following information is valid for pure substances.

5 m reel indicator paper (10 mm)

| Chemical: | cellulose | | CAS No.: 9004-34-6 |
|---------------------------|---------------------------|---|--------------------|
| TSCA Inventory: | listed | California Proposition 65 List: not lis | ited |
| Exposure Routes: | inhalation, skin and/o | r eye contact | |
| Target Organs: | Eyes, skin, respirator | y system | |
| Symptoms: | irritation eyes, skin, n | nucous membrane | |
| Australia NICNAS: | not listed | Canada CEPA 1999: DSL y | es |
| Japan CSCL/PRTR: | not listed, Japan PDS | SCL: not listed | |
| Japan ISHL: | not listed | | |
| South Korea TCCA: | not listed | | |
| Korea Exist.Chem.In | ventory: KE-05339 | | |
| LD50 _{orl rat} : | >5000 mg/kg | | |
| LC50ihl rat : | >5800 _{4h} mg/m³ | | |
| LD50 _{drm rbt} : | >2000 mg/kg | | |
| | | | |
| Chemical: | indicator dye(s) | | CAS No.: - |

TSCA Inventory: all listed, <1%

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances. 5 m reel indicator paper (10 mm)

MACHEREY-NAGE **(MN)** ISO 9001 CERTIFIED

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany US: DE/international: CH: FR: +41 62 388 55 00 Tel.: +49 24 21 969-0 Tel.: Tel.: +33 388 68 22 68 Tel.: +49 24 21 969-199 +41 62 388 55 05 Fax: Fax: Fax: +33 388 51 76 88 Fax: Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

+1 484 821 0984 +1 484 821 1272 E-mail: sales-us@mn-net.com

www.mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

| REF: 9 | | DUOTEST pH 9,5 - 14,0 | Page: 5/6 |
|---------|--|--|--------------------|
| Printin | g date: 12.05.2021 | Date of issue: 06.09.2017 | |
| | Chemical: <i>cellulo</i> : Water hazard class (DE): Storage class (VCI): | se nwg 11 | CAS No.: 9004-34-6 |
| | Chemical: indicat Storage class (VCI): | or dye(s) 12-13 | CAS No.: - |
| 12.2 | Persistence and degradabili not necessary | ty | |
| 12.3 | Bioaccumulative potential not necessary | | |
| 12.4 | Mobility in soil not necessary | | |
| 12.5 | Results of PBT and vPvB as no data available | sessment | |
| 12.6 | Other adverse effects no additional data available | | |
| SECT | FION 13: Disposal conside | rations | |
| Ν | lot necessary. | | |
| 13.1 | Waste treatment methods GENERAL: Empty solids into municip | al waste, empty liquids diluted into drains. | |
| SECT | ION 14: Transport inform | ation | |
| 1 | 4.1 - 14.4 Not necessary | | |
| 14.5 | Environmental hazards | | |
| 14.6 | Special precautions for user | | |

not necessarv

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC MN Leaflet/User manual, also see www.mn-net.com Look for your country-specific regulations.

E-mail: sales-fr@mn-net.com

15.2 Chemical safety assessment

SECTION 16: Other information

- 16.1 List of H and P phrases
- 16.1.1 List of relevant H phrases
- 16.1.2 List of relevant P phrases
- 16.2 Training advice
 - Regular safety training.

16.3 Recommended restriction on use

www.mn-net.com

ISO 9001 CERTIFIED

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88

E-mail: sales-ch@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com



according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

Printing date: 12.05.2021

DUOTEST pH 9,5 - 14,0 Date of issue: 06.09.2017 Page: 6/6

None

16.4 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2019 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

Revisions/Updates

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

www.mn-net.com