## **MACHEREY-NAGEL**



## **Safety Data Sheet**

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90610	Wator	Page: 1/6
Printing date: 12.05.2021	Date of issue: 16.05.2018	

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier   REF 90610   Product name Wator
	REACH Registration number(s): see SECTION 3.1/3.2 or A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.
	50 x Sheets Test paper with color dye
1.2	Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Product for analytical use. Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16. Uses advised against not described
1.3	Details of the supplier of the safety data sheet Manufactured by: MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, GERMANY Tel.: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)
1.4	Emergency telephone number Information not necessary.
	You find our current versions of SDS (22 languages) in Internet: http://www.mn-net.com/SDS
SEC	TION 2: Hazard identification
2.1	Classification of the substance or mixture
	Sheets Test paper with color dye
	Do not need labelling as hazardous Signal word -
	No hazard class
2.2	Label elements
	Sheets Test paper with color dye Do not need labelling as hazardous Signal word: -
2.3	Other hazards
	<b>Possible hazards from physicochemical properties</b> According to our current status of knowledge and experience we state, that this product does not contain any substances, which - in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential
	Information pertaining to particular risks to human and possible symptoms
	Information pertaining to particular risks to the environment



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany CH: US: DE/international: FR: Tel.: +49 24 21 969-0 Fax: +49 24 21 969-199 Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 Tel.: +33 388 68 22 68 Tel.: +1 484 821 0984 Fax: +33 388 51 76 88 Fax: +1 484 821 1272 Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com E-mail: sales-us@mn-net.com

www.mn-net.com

## MACHEREY-NAGEL



## Safety Data Sheet

### according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90610 Printing date: 12.05.2021 Wator

Page: 2/6

Date of issue: 16.05.2018

Other hazards

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances or 3.2 Mixtures

Sheets Test paper with colo Chemical: cellulo Classification: Formula: TSCA Inventory: REACH Reg. No.: EC No.: RTECS: KE No.: Concentration: acc. CLP (GHS):		CAS No.: 9004-34-6
Chemical: <i>colour</i> Classification: TSCA Inventory: Concentration: acc. CLP (GHS):	dye(s) No criteria for classification or naming of chemical not required. all listed, <1% 0.1 - <1 % The criteria for classification are not fulfilled.	CAS No.: -

#### 3.3 Remarks

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

- Place insured person out of danger zone to fresh air immediately.
- After SKIN Contact 4.1.1 Remove dust with wetted tissue.

### 4.1.2 After EYE Contact Rub dust with teardrops from eyes

- After INHALATION of vapours 4.1.3 After inhalation of dust fresh air should be inhaled. ---
- After ORAL Intake 4.1.4
- 4.2 Most important symptoms and effects, both acute and delayed

### 4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

### 5.2 Special hazards arising from the substance or mixture None

#### 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

### 5.4 Additional information



+49 24 21 969-199

CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 E-mail: sales-ch@mn-net.com FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com

US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

www.mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com

Tel.:

Fax:

MACHEREY-NAGE

 $\langle MN \rangle$ 

ISO 9001 CERTIFIEI

## **MACHEREY-NAGEL**



## **Safety Data Sheet**

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9		Wator Date of issue: 16.05.201	Page: 3/6
	g date: 12.05.2021		0
	FION 6: Accidental re		_
6.1	Personal precautions,	protective equipment and emerge	ency procedures
6.2	not necessary		
6.3		for containment and cleaning up r. Flush used water into drains.	
6.4	Reference to other sec	ctions	
SECI	FION 7: Handling and	storage	
7.1	Precautions for safe h Handling in accordance with t	andling he test instruction, that comes with the produ	ict.
7.2		orage, including any incompatibil of MACHEREY-NAGEL allows a safe storag 11 nwg	
7.2.1	<b>Requirements for stock</b> Keep original product page	t <b>rooms and containers</b> ckages tightly closed during handling and sto	rage.
7.3	Specific end use(s) Product for analytical use.		
SECI	FION 8: Exposure cor	ntrols/personal protection	
8.1	<b>Control parameters</b>		
	Sheets Test paper with Chemical: <i>cellulose</i> TRGS 900 (DE):	color dye Staub 1.25 A / 4 E mg/m³ E/e respirable	CAS No.: 9004-34-6
	SUVA(CH) MAK value: NIOSH: ITWAI Time-weighted	3 a ppm TWA 10 (total) / 5 (resp) mg/m <sup>3</sup> average to a reference period of 8 hours, [STEL] Short-	term exposure limit related to a 15-minute period
	OSHA:	TWA 15 (total) / 5 (resp) mg/m <sup>3</sup>	
	Chemical: colour dye	(S)	CAS No.: -
8.2	Exposure controls Not necessary.		
8.2.1	Respiratory protection Not necessary		
8.2.2	Hand protection Not necessary.		
	Eye protection		
8.2.3	Not necessary.		
8.2.3 8.2.4	Not necessary. <b>Skin protection</b> Not necessary.		



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany FR: US: DE/international: CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05 Tel.: +49 24 21 969-0 Tel.: +33 388 68 22 68 +49 24 21 969-199 Fax: Fax: +33 388 51 76 88 E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

www.mn-net.com

Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

## MACHEREY-NAGEI



## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 9 Printing	0610 g date: 12.05.2021	Wator Date of issue: 16	.05.2018	Page: 4/6
SECT	FION 9: Physical and c	hemical properties		
9.1	Information on basic ph	ysical and chemical prope	erties	
	Sheets Test paper with control of the second	olor dye Colour: blue	Odor: odorless	
9.2	Other information Relevant Properties of Substa	ance Group		
SECT	FION 10: Stability and	reactivity		
10.1	Reactivity None			
10.2	Chemical stability No known instability.			
10.3	Possibility of hazardous None.	s reactions		
10.4	Conditions to avoid Not known			
10.5	Incompatible materials Not known. Avoid contact with o	concentrated acids and oxidizing ac	ents.	
10.6	Hazardous decompositing In the original package all parts period under recommended core	/all reagents are safety and separa	ed stored. Decompositions are not observed o	during the expiration
SECT	ION 11: Toxicological	information		

#### 11.1 Information on toxicological effects

Following information is valid for pure substances.

### Sheets Test paper with color dye

Chemical:	cellulose		CAS No.: 9004-34-6
TSCA Inventory:	listed	California Proposition 65 List: not	listed
Exposure Routes:	inhalation, skin and	/or eye contact	
Target Organs:	Eyes, skin, respirate	ory system	
Symptoms:	irritation eyes, skin,	mucous membrane	
Australia NICNAS:	not listed	Canada CEPA 1999: DSL	yes
Japan CSCL/PRTR:	not listed, Japan PI	DSCL: not listed	-
Japan ISHL:	not listed		
South Korea TCCA:	not listed		
Korea Exist.Chem.Inv	ventory: KE-05339		
LD50 <sub>orl rat</sub> :	>5000 mg/kg		
LC50 <sub>ihl rat</sub> :	>5800 <sub>4h</sub> mg/m³		
LD50 <sub>drm rbt</sub> :	>2000 mg/kg		
Chemical:	colour dve(s)		CAS No.: -

**TSCA** Inventory: all listed, <1%

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Following information is valid for pure substances. Sheets Test paper with color dye

CAS No.:

MACHEREY-NAGE **(MN)** ISO 9001 CERTIFIED

MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany US: DE/international: CH: FR: +41 62 388 55 00 Tel.: +49 24 21 969-0 Tel.: Tel.: +33 388 68 22 68 Tel.: +49 24 21 969-199 +41 62 388 55 05 Fax: Fax: Fax: +33 388 51 76 88 Fax: Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

+1 484 821 0984 +1 484 821 1272 E-mail: sales-us@mn-net.com

www.mn-net.com



# Safety Data Sheet

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90610 Printing date: 12.05.2021		Wator Date of issue: 16.05.2018	Page: 5/6	
	Chemical: Water hazard cla Storage class (V0		CAS No.: 9004-34-6	
	Chemical:	colour dye(s)	CAS No.: -	
12.2	Persistence and deg	radability		
12.3	Bioaccumulative po not necessary	ential		
12.4	Mobility in soil not necessary			
12.5	Results of PBT and no data available	/PvB assessment		
12.6	Other adverse effects no additional data available			
SECT	ΓΙΟΝ 13: Disposal α	onsiderations		
	lot necessary.			
13.1	Waste treatment me GENERAL: Empty solids in	to municipal waste, empty liquids diluted into drains.		
SECT	<b>FION 14: Transport</b>	information		
	4.1 - 14.4 Not necessary			
14.5	Environmental haza	rds		
14.6	Special precautions not necessary	for user		
14.7	Transport in bulk ac not applicable	cording to Annex II of MARPOL and the IB	C Code	
SECT	FION 15: Regulator	information		
15.1		nvironmental regulations/legislation specif		

- German act governing protection from hazardous substances (Chemicals Act / Chemikaliengesetz- ChemG), revised on August 2013 German order governing protection from hazardous substances (Ordinance on Hazardous Substances / Gefahrstoffverordnung -GefStoffV), revised on November 2010, according to Directive 98/24/EC MN Leaflet/User manual, also see www.mn-net.com Look for your country-specific regulations.
- 15.2 Chemical safety assessment

### **SECTION 16: Other information**

- 16.1 List of H and P phrases
- 16.1.1 List of relevant H phrases
- 16.1.2 List of relevant P phrases
- 16.2 Training advice
- Regular safety training.

+49 24 21 969-0

+49 24 21 969-199

16.3 Recommended restriction on use None

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6–8 · 52355 Düren · Germany DE/international: CH: FR:

CH: Tel.: +41 62 388 55 00 Fax: +41 62 388 55 05

E-mail: sales-ch@mn-net.com

FR: Tel.: +33 388 68 22 68 Fax: +33 388 51 76 88 E-mail: sales-fr@mn-net.com US: Tel.: +1 484 821 0984 Fax: +1 484 821 1272 E-mail: sales-us@mn-net.com

Version: M V 4.12.0 E-mail: info@mn-net.com

Tel.:

Fax:



# Safety Data Sheet

## according to Regulations 1907/2006/EC (REACh) and 2015/830/EU

REF: 90610

Printing date: 12.05.2021

Wator Date of issue: 16.05.2018 Page: 6/6

#### 16.4 **Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

#### 16.5 Sources of key data

Regulation 453/2010/EU REACH - REQUIREMENTS FOR THE COMPILATION OF SAFETY DATA SHEETS Regulation 487/2013/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 669/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress Regulation 1480/2018/EU, 4th adaptation of CLP regulation to technical and scientific progress TRGS 900, German engineering rules governing limits in air at work, updated 03/2019 SUVA .CH, Limits in air at work 2009, revised on 01.2009 KÜHN, BIRETT Merkblätter Gefährliche Arbeitsstoffe (Data Sheets of Hazardous Substances)

### **Revisions/Updates**

Reason for Revision: 2016-03 Adaptation of regulation 1221/2015/EU

www.mn-net.com



MACHEREY-NAGEL GmbH & Co. KG · Neumann-Neander-Str. 6-8 · 52355 Düren · Germany DE/international: CH: FR: US: Tel.: +49 24 21 969-0 Tel.: +41 62 388 55 00 Tel.: +33 388 68 22 68 Tel.: Fax: +49 24 21 969-199 Fax: +41 62 388 55 05 Fax: +33 388 51 76 88 Fax: Version: M V 4.12.0 E-mail: info@mn-net.com E-mail: sales-ch@mn-net.com E-mail: sales-fr@mn-net.com

+1 484 821 0984 +1 484 821 1272 E-mail: sales-us@mn-net.com